

HOLZ-HER U.S. Used Machine Inventory

EDGEBANDERS

STREAMER 1053 SN# 170 2016

Automatic Feed Magazine
Cartridge Glue Station
Pressure Unit.
2 Motor End Trim
Top/Bottom Trim
Profile Scraper
Buffer
90 Day Warranty



STREAMER 1054 SN# 494 2015

Pre-Milling Unit
Automatic Feed Magazine
Cartridge Glue Station
Pressure Unit.
2 Motor End Trim
Top/Bottom Trim
Profile Scraper
Buffer
90 Day Warranty



SPRINT 1436 SN# 6324 1994

Automatic Feed Magazine
Cartridge Glue Station
Pressure Unit.
2 Motor End Trim
Top/Bottom Trim
HD Profile Scraper
Jump Buffer
30 Day Warranty – Parts only
Refurbished and ready to go







SPRINT 1310-E SN# 1878 2004

Automatic Feed Magazine
Cartridge Glue Station
Pressure Unit.
1-MotorEnd Trim
Top/Bottom Trim
Open Station for Profile Scraper
Buffer
30 Day Warranty – Parts only

Refurbished and ready to go

\$8900



SPRINT 1310-6 SN# 3833 2007

PPC-221 Control Panel w/ 8" color screen
Automatic Feed Magazine
Cartridge Glue Station
Pressure Unit
End Trim with PCS
Top/Bottom Trim with PCS
Profile Scraper with PCS
Buffer
30 Day Warranty – Parts only

\$8900



<u>SPRINT 1315 SN# 194 2002</u>

8 mm edge capacity
No Pre-Milling
PLC Screen Control
Automatic Feed Magazine
Cartridge Glue Station
Pressure Unit
End Trim with PCS
Top/Bottom Trim
Corner Rounding Unit
Profile Scraper with PCS
Buffing
Feed Speed 11 MPM
30 Day Warranty – Parts only
Repairs not yet started

\$11,900





<u>SPRINT 1317 SN# 1579 2005</u>

8 mm edge capacity

Pre-Milling

PLC Screen Control

Automatic Feed Magazine

Cartridge Glue Station

Pressure Unit

End Trim with PCS

Top/Bottom Trim

Corner Rounding Unit

Profile Scraper with PCS

Finish Scraper

Buffing Unit

2 Feed Speeds

30 Day Warranty - Parts only

\$ 11,900



<u>SPRINT 1411-2 SN# 1050</u>

0 2002

No Pre-Milling

PLC Screen Control

Automatic Feed Magazine

Cartridge Glue Station

Pressure Unit

End Trim with PCS

Top/Bottom Trim

Top/Bottom Trim (Super Finish)

Finish Scraper

Jump Buffing

Feed Speed 12 MPM

30 Day Warranty – Parts only

\$8900



Repairs not yet started

SPRINT 1411-K SN# 887 2001

No Pre-Milling

PLC Screen Control

Automatic Feed Magazine

Cartridge Glue Station

Pressure Unit

End Trim with PCS

Top/Bottom Trim

Profile Scraper

Jump Buffing

Feed Speed 12 MPM

30 Day Warranty - Parts only

\$8900



Repairs not yet started



SPRINT 1411-2 SN# 1177

2001

No Pre-Milling PLC Screen Control Automatic Feed Magazine Cartridge Glue Station Pressure Unit End Trim with PCS Top/Bottom Trim Top/Bottom Trim (Super Finish) **Buffing** Feed Speed 12 MPM

30 Day Warranty – Parts only Repairs not yet started

\$8900



<u>SPRINT 1416 SN# 1642</u>

2000

12 mm edge capacity No Pre-Milling PLC Screen Control Automatic Feed Magazine Cartridge Glue Station Pressure Unit End Trim with PCS Rough top/Bottom Trim Top/Bottom Trim (Super Finish) Corner Rounding Unit Profile Scraper with PCS Finish Scraper **Buffing** Feed Speed 12 MPM 30 Day Warranty - Parts only

Repairs not yet started

\$8900



file photo



SPRINT 1416 SN# 395

2002

12 mm edge capacity
No Pre-Milling
PLC Screen Control
Automatic Feed Magazine
Cartridge Glue Station
Pressure Unit
End Trim with PCS
Rough top/Bottom Trim
Top/Bottom Trim (Super Finish)
Corner Rounding Unit
Profile Scraper with PCS
Finish Scraper
Buffing
Feed Speed 12 MPM

30 Day Warranty – Parts only Repairs not yet started

\$8900



file photo

SPRINT 1417 SN# 357

2000

12 mm edge capacity
Pre-Milling
PLC Screen Control
Automatic Feed Magazine
Cartridge Glue Station
Pressure Unit
End Trim with PCS
Rough top/Bottom Trim
Top/Bottom Trim
Corner Rounding Unit
Profile Scraper with PCS
Finish Scraper
Jump Buffing
Feed Speed 12 MPM
30 Day Warranty – Parts only

\$8900





SPRINT 1320 SN# 167 2005

\$ 18,900

12 mm edge capacity

No Pre-Milling

PPC-221 Control Panel w/ 8" color screen

Automatic Feed Magazine

Cartridge Glue Station

MOT Pressure Unit (servo positioning)

End Trim with PCS

Rough top/Bottom Trim

Top/Bottom Trim with (6) servos & multiple profile tooling

Corner Rounding Unit

Profile Scraper with PCS

Finish Scraper

Jump Buffing

Variable Feed Speed 12-20 MPM

Motorized Pressure Beam

30 Day Warranty – Parts only

Refurbished and ready to go



SPRINT 1320 SN# 442

2007

12 mm edge capacity

No Pre-Milling

PPC-221 Control Panel w/ 8" color screen

Automatic Feed Magazine

Cartridge Glue Station (servo nozzle)

MOT Pressure Unit (servo positioning)

End Trim with PCS

Rough Top/Bottom Trim

Fine Top/Bottom Trim (2 servos)

Corner Rounding Unit

Profile Scraper with PCS

Finish Scraper

Jump Buffing

Variable Feed Speed 12-20 MPM

Motorized Pressure Beam

30 Day Warranty – Parts only





SPRINT 1321 SN# 339

2005

\$ 19,900

12 mm edge capacity

Pre-Milling

PPC-221 Control Panel w/ 8" color screen

Automatic Feed Magazine

Cartridge Glue Station (servo nozzle)

MOT Pressure Unit (servo positioning)

End Trim with PCS

Rough Top/Bottom Trim

Fine Top/Bottom Trim (6 servos)

Corner Rounding Unit

Profile Scraper (2 servos)

Finish Scraper

Jump Buffing

Variable Feed Speed 12-20 MPM

Motorized Pressure Beam

30 Day Warranty – Parts only



TRIATHLON 420 SN# 4162

1999

\$ 15,900

20 mm Edge Capacity
Screen Control
Automatic Feed Magazine
Cartridge Glue Station
Motorized pressure section
End trim - pneumatic swivel
Top/Bottom Trimmer
Fine Top/Bottom Trimmer
Corner Rounding Unit
Profile Scraper
Jump Buffing

Motorized beam

Variable speed 10 – 20 MPM

30 Day Warranty – Parts only

Repairs not yet started





TRIATHLON 1488 SN# 148

2003

20 mm Edge Capacity

Screen Control

Servo Infeed Fence

Pre-mill station

Programmable Automatic magazine (3 servos)

GranUPress Glue Station (granulate glue only)

Motorized pressure section (servo)

End trim - pneumatic swivel

Top/Bottom Trimmer (3 servos)

Top/Bottom Trimmer (5 servos) – Multiple Profile

4 MOTOR Corner Rounder (6 servos)

HD Profile Scraper (1 servo - in/out)

Surface scraper

Jump Buffing

Motorized beam

Variable speed 10 – 20 MPM

30 Day Warranty - Parts only

90% Refurbished – Finished when sold



TRIATHLON 1488 SN# 150

2004

\$19,900

20 mm Edge Capacity

Screen Control

Servo Infeed Fence

Pre-mill station

Automatic magazine (3 servos)

GranUPress Glue Station (granulate glue only)

Motorized pressure section (servo)

End trim - pneumatic swivel

Top/Bottom Trimmer (3 servos)

Top/Bottom Trimmer (5 servos) – Multiple Profile Tooling

4 MOTOR Corner Rounder (6 servos)

HD Profile Scraper (1 servo – in/out)

Surface scraper

Jump Buffing

Motorized beam (belt)

Variable speed 10 - 20 MPM

30 Day Warranty - Parts only

Repairs not yet started





TRIATHLON 1488 SN# 408

2006

\$ 23,900

20 mm Edge Capacity

Screen Control

Servo Infeed Fence

Pre-mill station

Automatic magazine

Cartridge Glue Station

Motorized pressure section (servo)

End trim - pneumatic swivel

Top/Bottom Trimmer (3 servos)

Top/Bottom Trimmer (5 servos) – Multiple Profile Tooling

Corner Rounding Unit

Shaper/Grooving Unit

HD Profile Scraper (1 servo – in/out)

Jump Buffing

Motorized beam (belt)

Variable speed 10 – 20 MPM

30 Day Warranty – Parts only

Repairs not yet started



6 mm Edge Capacity

Automation Package for programmable setup

Motorized Pressure Beam (programmable)

PPC-221 Control Panel w/ 8" color screen

Pre-Milling Unit

Automatic Feed Magazine

GJ-301 GluJet Glue Station

Pressure Section

End Trim

Top/Bottom Trim with (4) servos

Corner Rounding Unit

Profile Scraper with (2) servos

Finish Scraper

Buffer

10 MPM Feed Speed

90 Day Warranty – Parts and Labor, when installed by a Certified Tech

Refurbished and ready to go







ARCUS 1334 SN# 244 2011 \$ 58,900

12 mm edge capacity

PPC221 Controller 8" Screen

Pre-Milling Unit

Servo Infeed Fence

Automatic Feed Magazine

Cartridge Glue Station

Pressure Unit (servo)

End Trim with PCS

Top/Bottom Trim (2 servos)

Corner Rounding Unit (4 servos)

Profile Scraper with PCS

Finish Scraper


Buffer

Variable Speed 10 – 20 MPM

Motorized Pressure Beam (Belt)

90 Day Warranty - Parts and Labor, when installed by a Certified Tech

Refurbished and ready to go



ARCUS 1334 SN# 483

<u> 2015</u>

\$ 79,900

12 mm Edge capacity

PPC315 Controller 15" Screen

Pre-Milling

Servo Infeed Fence

Automatic Feed Magazine

GJ301 Automatic GluJet

Pressure Section (servo)

End Trim Unit

Top/Bottom Trim (2 servos)

Corner Rounding Unit (4 servos)

HD Profile Scraper (1 servo - in/out)

Finish Scraper

Jump Buffer

Variable Speed 10 - 25 MPM

Motorized Pressure Beam (Belt)

90 Day Warranty – Parts and Labor, when installed by a Certified Tech

Refurbished and ready to go





OUT ON LOAN



ARCUS 1336 SN# 136

2014

12 mm Edge capacity

PPC315 Controller 15" Screen

Pre-Milling

Servo Infeed Fence

Automatic Feed Magazine

GluJet Automatic Glue System

Pressure Section (servo controlled)

End Trim

Top/Bottom Rough Trim (2 servos)

Top/Bottom Fine Trim (6 servos)

2-Motor Corner Rounding Unit (4 servos)

HD Profile Scraper (1 servo – in/out)

Finish Scraper

Jump Buffer

Variable Speed 10 – 25 MPM

Motorized Pressure Beam (Belt)

90 Day Warranty - Parts and Labor, when installed by a Certified Tech



CONTRIGA 1366 SN# 43

2007

\$38,900

20 mm edge capacity

PPC221 Controller 8" Screen

Motorized Infeed Fence

Pre-Milling Unit

Programmable Magazine (3 servos)

GranUPress Glue Station (granulate glue only)

Servo Pressure Section

HD End Trim (high speed)

Top/Bottom Trimmer (3 servos)

Top/Bottom Trimmer (5 servos) – Multiple Profile Tooling

2-Motor Corner Rounder (4 servos)

HD Profile Scraper (1 servo – in/out)

Oscillating Jump Buffer

Variable Speed 10 - 25 MPM

Motorized Pressure Beam (Belt)

90 Day Warranty – Parts and Labor, when installed by a Certified Tech

90% Refurbished – Finished when sold



CONTRIGA 1368 SN# 82

2007

\$ 48,900

20 mm edge capacity

PPC221 Controller 8" Screen

Motorized Infeed Fence

Pre-Milling Unit

Automatic Feed Magazine (3 servos)

GranUPress Glue System (granulate glue only)

Servo Pressure Section

HD End Trim (high speed)

Rough Top/Bottom Trimmer (3 servos)

FineTop/Bottom Trimmer (5 servos) Multiple Profile Tooling

4 Motor Corner Rounder (6 servos)

HD Profile Scraper (1 servo – in/out)

Oscillating Jump Buffer

Variable Speed 10 – 25 MPM

Motorized Pressure Beam (Belt)

90 Day Warranty - Parts and Labor, when installed by a Certified Tech

Repairs not yet started

EVOLUTION Vertical Machining Center

EVOLUTION 7405 SN# 163 2014

- Ball screw drive in X-Y- and Z-axis
- Manual Central lubrication for all linear guides in X, Y, and Z
- Work piece support with roller wheels, pneumatically
- 2-Pop-Up Pin Stops (1 per side left/right)
- 4 Hose less Vacuum Pods 80 mm x 80 mm Vacuum Pod Heads
- 10 vertical boring spindles individually selectable
 - 5 in X- and 5 in Y-axis.
 - 2 double boring spindle for horizontal bores in the X-direction
 - 1 double boring spindle for horizontal bores in the Y-direction
- 9 HP Fan Cooled Router Head 1,000-18,000 RPM HSK-63F
- 6-Position Automatic Tool Changer
- Hand held control unit
- PC control panel with 19" TFT Flat Screen

FOR PRICE – PLEASE CONTACT MICHAEL CASSELL





BOARKE WIDE BELT SANDER

BKM-43-RRK 3-Head Sander SN# FC14197 2014

\$ 28,900

Boarke's Frame is a weldment of 1" and ½" plate steel 4 ea. 4000 lb. capacity Ball Screws for table raise/lower Digital Controller

- Digital Readout in Inches or MM
- ↑ And ↓ Buttons micro adjust thickness in .001" increments
- Micro-Adjustment hand wheel for final thickness in .001" increments
- Automatic Thickness Set Up

Motorized Thickness adjustment Vacuum Table

Unit 1: Contact Roll

• 10" O. D. Contact Roll (85-90 Shore)

Dial Indicator shows position

30 HP

Unit 2: Contact Roll

- 10" O. D. Contact Roll (60 t
- Dial Indicator shows position
- 25 HP

Unit 3: Combi Unit

- 5.5 "O.D. Contact Roll (50-55 Sh
- 2.8" wide finishing Pad
- Abrasive Belt Cleaner
- 20 HP

Photo electric belt tracking Variable speed from 7 – 45 FPM 5 HP drive motor







KUNDIG WIDE BELT SANDER

BRILLIANT-RRKd 3-Head Sander SN# 5534 2012 \$ 39,900

Belt Size: 43" x 75"

1. Head CONTACT ROLLER: 30 HP

80° Shore hardness

Ø 6,3" diameter

2. Head CONTACT ROLLER: 24 HP

50° Shore hardness

Ø 6,3" diameter

3. Head COMBI HEAD: 18 HP

CONTACT ROLLER:

35° Shore hardness

Ø 6,3" diameter AIR CUSHION PAD:

3.1" width

Belt Cleaner: STANDARD

Feed Motor: 2 HP

Vacuum Device: STANDARD



Brilliant Sanding Unit

- Pivots from standard 90° position to 100° to the conveyor. (See photo)
- The belt's 100° attack angle creates a shear cutting action. Stock is removed w/ less effort.
- Pivot mechanism ensures a secure, stable position after thousands of changes.
 Accuracy is not affected.
- Use with Contact Rolls for improved stock removal.
- Use with Electronically Controlled Segmented Pads for:
 - o Improved Veneer finish sanding
 - o Improved Lacquer finish sanding

Brilliant Combi Unit. Note two head tie down locations